




CAMISAS DE CILINDRO

LINHA DIESEL

A10

classificação fiscal: Diesel 8409.99.30 (J)

CÓDIGO CENTRIFUGAL	Sobre medida	MARCA E APLICAÇÃO	QUANT / EMB.		DIMENSÕES (mm)				CF	Preço Bruto	
					diâm. ext.	COLAR		comp. total			
CATERPILLAR											
UC 4951000	STD	Mot. 3116	4	105,00	109,82	-	-	197,00	J	152,23	
UCO4501000	STD	Mot. D330/330A/330B, 1670 - D348 Veicular	4	114,30 (4 1/2")	131,80	139,20	10,25	264,00	J	244,40	
UC 4952000	STD	Mot. 3145, 3150, 3160, 3204, 3208	4	114,30 (4 1/2")	119,15	-	-	197,00	J	169,61	
UCO4503000 (fosfatizada)	STD	Mot. 3306 (Reponteciado); 3304, 3306 Série 3300 (Injeção Direta)	4	120,65 (4 3/4")	134,38	142,90	10,26	254,90	J	244,14	
UCO4842000	STD	Mot. 7W 3550, 3406; D-3412	4	137,16 (5.4")	153,75	165,13	8,89	273,81	J	362,38	
UCO4747000	STD	Mot. 6N 8700 3406, 3304, 78P / 3.06 3N	4	137,16 (5.4")	155,50	165,20	13,30	305,20	J	373,58	
UCO4701000	STD	Mot. 8N 5676 D 339 / 342	4	146,05 (5 3/4")	168,04	146,07	12,70	382,04	J	590,26	
UCO4703000	STD	Mot. D 353 (Ind.); D 379 / D342 - 175 Est.	4	158,75 (6.25")	180,82	158,77	12,80	382,16	J	735,97	
CHEVROLET											
A 4606000	STD	Mot. HS 2,5L Gemini III	4	90,74 (3.5725")	94,20	97,00	4,80	188,00	J	100,64	
A 4606120	.020"	S-10, Silverato, Blazer			94,70	97,50				105,89	
CUMMINS											
UC 4598000	STD	Mot. Séries B (turbo)	6	102,00	104,58	-	-	200,00	J	104,50	
UC 4598120	.020"	(3/4/6 cil.)			105,08					109,95	
UC 4598130	.030"				105,33					109,95	
UC 4598140	.040"				105,58					109,95	
UCO4538000	STD	Mot. Série C 88 8.3L (6 cil.) (88/02-91)	4	114,00	125,68	132,95	14,00	237,12	J	205,47	
UCO4537000 (fosfatizada)	STD	(aspirado/turbo)			125,68	132,95	14,00	237,12	J	228,06	
UCO4530000	STD	Mot. Série C 91 8.3L (6 cil.) (02.91/...)	4	114,00	125,68	130,95	14,70	237,12	J	205,47	
UCO4531000 (fosfatizada)	STD	(aspirado/turbo)			125,68	130,95	14,70	237,12	J	209,21	
UCO4757000	STD	Mot. Série C 2000	4	114,00	125,68	130,95	14,70	234,12	J	205,47	
UCO4836000	STD	Mot. L 10	4	125,00	138,00	145,95	15,00	241,00	J	242,83	
UCO0935000 (fosfatizada)	STD	Mot. Séries NH 220, NHE 195, NHE 180	4	130,17 (5 1/8")	145,93	155,67	11,15	303,67	J	261,50	
UCO0898000 (fosfatizada)	STD	Mot. Séries N /NT/NTA 855, NTC 290 BIG CAM I	4	139,70 (5 1/2")	155,50	166,73	9,04	288,20	J	298,87	
FIAT											
UC 4954000	STD	Mot. 2.5L 8144.91 Iveco Daily,	4	93,00	96,05	-	-	167,10	J	101,02	
UC 4954120	.020"	Ducato Maxi (Turbo), Croma TD (89/...)			96,55					106,29	
A 4996000	STD	Mot. B25, 8144.61 Ducato 2,5L	4	93,00	97,52	100,94	5,10	167,00	J	110,43	
A 4953000	STD	Mot. 2.8L	4	94,40	97,52	100,94	5,10	167,00	J	110,43	
A 4953120	.020"	Ducato (09-86/...)			98,02	101,44				120,66	
UC 4945000	STD	Trator 8040, 8045, 8060, 8065;	4	104,00	106,96	109,83	5,00	198,00	J	121,15	
UC 4945324	.020"	8040.05/.25/.45,			107,46	110,33				127,47	
UCC4945000	STD	8060.05/.25/.45,			106,96	111,35	10,00	198,00		J	114,92
UCC4945320	.020"	Iveco Euro I / II (4/6 cil.)			107,16	111,55					139,05
UCO0925000	STD	Mot. CO3, CP3110 Cam. e ônibus 70/13, Trator 650..	4	110,00	117,95	129,00	8,00	236,25	J	225,30	
UCO0934000	STD	Mot. CO3 / 130T (76/...) CO3 / 130T T/2300	4	115,00	121,97	129,70	6,00	235,00	J	225,07	
UCO5028000	STD	Mot. Iveco 8.210	6	137,00	143,04	149,00	6,04	282,00	J	287,38	
UC 0930000	STD	Mot. 8210-2 13797cc;	6	137,00	143,08	147,00	6,00	282,00	J	196,52	
UCO0930000	STD	Caminhão Fiat 180 / 190			143,04	147,00				287,38	

CÓDIGO CENTRIFUGAL	Sobre medida	MARCA E APLICAÇÃO	QUANT / EMB.		DIMENSÕES (mm)			CF	Preço Bruto
					diâm. ext.	COLAR			
					diâm.	alt.			

F.N.M.

UCO1062900	STD	Mot. D-11000, D-180	4	125,00	141,96	153,96	17,03	301,00	J	224,15
UCO1062930	STD			125,03	141,96	153,96	17,03	301,00	J	224,15

FORD

A 4606000	STD	Mot. HS 2.5L Gemini III Pick-up Ranger, F1000 2500cc	4	90,74 (3.5725")	94,20	97,00	4,80	188,00	J	100,64
A 4606120	.020"			94,70	97,50	105,89				
A 4577000	STD	Mot. Cargo FTO 7.8 (fase 3)	4	111,76 (4.4")	114,50	121,50	5,00	230,00	J	123,87
A 4577120	.020"				115,00	122,00				130,33
A 4577140	.040"				115,50	122,50				130,33
A 4577160	.060"				116,00	123,00				130,33
AL 4577000	STD				118,75	-	221,00	J	126,13	
AL 4577120	.020"				119,25	-			132,71	
AL 4577140	.040"				119,75	-			132,71	
AL 4577150	.050"				121,00	-	132,71			
UC 4577000	STD				114,43	-	221,00	J	123,87	
UC 4577120	.020"				114,93	-			130,33	
A 0979000	STD	Mot. OHV-3201 3.3L Trator 4600, 4610 OHV 4256 4.2L Trator 5600, 5610 OHV 4269 4.4L Trator 6600, 6610 Cargo FTO 6.6L OHV-4268 F-4000	6	111,76 (4.4")	118,75	121,00	5,00	208,30	J	123,87
A 0979120	.020"				119,25	121,50				130,33
A 0979130	.030"				119,50	121,75				130,33
A 0979140	.040"				119,75	122,00				130,33
UC 0979000	STD				114,45	120,38	2,54	208,30	J	119,99
UC 0979120	.020"				114,95	120,88				126,25
UC 0979130	.030"				115,20	121,13	3,565	126,25		
UC 0979140	.040"				115,45	121,38		126,25		
UC 0979160	.060"				115,95	121,88		126,25		
UCC0979000	STD				114,45	120,38	2,54	221,00	J	154,17
UCC0979120	.020"				114,95	120,88				3,565
UC 4578000	STD				Mot. 6.6 s/ flange	6	111,76 (4.4")	114,43	-	-


HYUNDAI

A 4858000	STD	Mot. H-100	6	91,10	94,15	97,00	5,00	170,00	J	89,02
A 4858310	.004"				94,25					93,67
A 4858820	.014"				94,50					93,67
A 4858380	.031"				94,95					93,67
AL 4858000	STD				94,15	165,00	J	89,02		
AL 4858110	.004"				94,25			93,67		
AL 4858115	.014"				94,50			93,67		
AL 4858180	.031"				94,95			93,67		


KIA MOTORS


A 4582000	STD	Mot. 2.0L Besta Furgão, Van EST/ST Mot. 2.2L Besta (Magma / Huricani) (p/ bloco não encamisado)	4	86,00	90,00	91,60	4,80	165,00	J	75,47
A 4582120	.020"				90,50	92,10				79,41
A 4582140	.040"				91,00	92,60				79,41
UC 4582000	STD				89,00	94,00	2,70	163,00	J	77,42
UC 4582120	.020"				89,50	94,50				81,46
UC 4582140	.040"				90,00	95,00				81,46
UC 4855000	STD	Mot. 2.4L Kia Ceres K 2400	4	88,90	96,97	101,00	3,75	167,00	J	81,27
UC 4855120	.020"				97,47	101,50				85,51
UC 4580000	STD	Mot. 2.7L (4 cil.) Topic	6	92,00	96,90	101,00	3,75	191,30	J	77,42
UC 4580120	.020"				97,40	101,50				81,46
UC 4580140	.040"				97,90	102,00				81,46
UCO4580000	STD				96,85	101,00	3,75	191,30	J	87,48
UC 4583000	STD				Mot. 2.7L Besta	4	93,00	96,83	102,25	2,50
UC 4583120	.020"	97,33	102,75	89,59						
UC 4583140	.040"	97,83	103,25	89,59						
UC 4621000	STD	Besta GS	4	94,50	97,55	104,60	3,90	167,50	J	89,02
UC 4621120	.020"				98,05	105,10				93,67

CÓDIGO CENTRIFUGAL	Sobre medida	MARCA E APLICAÇÃO	QUAN T / EMB.		DIMENSÕES (mm)			CF	Preço Bruto
					diâm. ext.	COLAR			
					diâm.	alt.			

CÓDIGO CENTRIFUGAL	Sobre medida	MARCA E APLICAÇÃO	QUANT / EMB.		DIMENSÕES (mm)				CF	Preço Bruto
					diâm. ext.	COLAR		comp. total		
					diâm.	diâm.	alt.			
KIA MOTORS (continuação)										
UC 4854000	STD	Mot. 3.0L	4	98,00	101,52	106,90	2,60	166,00	J	81,27
UC 4854120	.020"	Besta GS			102,02	107,40				85,51
UCO4854000	STD				101,47	106,90				91,84
KUBOTA										
UCO3101000	STD	Mot. T5 / GA 70 Tekko	4	75,00	86,00	91,00	8,10	143,50	J	133,11
UCO3113000	STD	Mot. BR 60, BS 60	4	78,00	89,00	94,00	8,10	143,50	J	136,91
UCO3102000	STD	T8, TR8, TR8F, T3, 5C (65/...) Microt. KR80, M80 (1 cil.) M80F	4	85,00	99,00	107,00	10,10	195,00	J	182,55
UCO3103000	STD	Mot. T9, T9F, AR80, AS80, M90, M90F, AR/AS110, (Estac./Agric./Marit.) Microt. KNDR-70 (66/...)	4	90,00	104,00	110,00	10,10	195,00	J	182,55
UCO3111000	STD	Mot. T11, T13 Tekko	4	95,00	109,00	115,00	10,10	175,00	J	163,54
UCO3114000	STD	Mot. DB13 M, DB13 R, DB13 S (c/parachama)	4	95,00	109,00	115,00	10,10	197,00	J	167,34
UCO3110000	STD	Mot. AR90, AS90	4	95,00	119,00	125,00	10,10	198,00	J	171,14
UCO3112000	STD	Mot. AR110, AR130 M (Estac./Agric./Marit.) (c/parachama)	4	105,00	119,00	125,00	10,10	198,00	J	155,93
UCO3107000	STD	Mot. AS140 Tekko	4	115,00	133,00	139,00	12,10	210,00	J	171,14
UCO3109000	STD	Mot. AR160, AS160 Tobatta	4	125,00	143,00	149,00	12,10	210,00	J	186,36
MERCEDES BENZ										
A 6194000	STD	Mot. 113, 313 Sprinter Eletrônico	4	88,00	91,50	93,50	4,70	148,20	J	114,54
A 0424000	STD	Mot. OM312	6	90,00	94,80	96,40	4,90	215,00	J	96,76
A 0424120	.020"				95,30	96,90				101,81
A 0424140	.040"				95,80	97,40				101,81
A 4606000	STD	Mot. HS 2.5L 310D Sprinter, Euro I (MB)	4	90,49	94,20	97,00	4,80	188,00	J	100,64
A 4606120	.020"	Defender (LandRover)			94,70	97,50				105,89
A 1607000	STD	Mot. OM616/617, L207/307/309/407/ /507 D, 209/240/300/309/409 D, 300CD	6	90,90	94,08	95,94	4,80	158,20	J	85,15
A 1607120	.020"				94,58	96,44				89,59
A 0423000	STD	Mot. OM321 (6 cil.) (58/71)	6	95,00	100,00	101,60	6,00	215,00	J	85,15
A 0423120	.020"	L321, OP312, L911			100,50	102,10				89,59
A 0423140	.040"	OM321			101,00	102,60				89,59
A 0423160	.060"	L, LA, LO, LS			101,50	103,10				89,59
AL 0078000	STD	Mot. OM314/314A/352/352 LA Cam. 608 D/E, 708E	6	97,00	100,50	-	-	222,00	J	64,58
AL 0078120	.020"	OM352A Cam. 1313A, 1316,...			101,00	-	-	222,00	J	65,72
AE 0078000	STD	Mot. OM314A, OM352 LA,	6	97,00	100,50	103,40	5,20	222,00	J	64,58
AE 0078120	.020"	OM314, OM352,			101,00	103,90	5,45			65,72
AE 0078130	.030"	Caminhão 608D, 608E, 708E			101,25	104,15	5,70			67,44
AE 0078140	.040"	OM352A			101,50	104,40	5,95			67,44
AE 0078160	.060"	Caminhão 1313A, 1316,...			102,00	104,90	6,25			67,44
AE 0078180	.080"				102,50	105,40	6,50			67,44
AE 0078400	.100"				103,00	105,90	6,65			67,44
AE 0078750	STD				100,00	103,50	5,20			70,96
UC 0081000	STD	Mot. OM354, OM356 A,	6	97,50	100,48	103,50	5,20	222,00	J	64,58
UC 0081120	.020"	OM364 Euro 1, Euro 2...			100,98	104,00				65,72
A 4957000	STD	Mot. OM904, OM906LA (4/6 Cil.)	6	102,00	106,08	109,40	6,20	220,00	J	76,35
UCO4513000	STD	Mot. OM449 A/LA (5 cil.); OM447 LA (.../95), OM449 LA (6 cil.);	4	128,00	144,47	153,71	9,91	270,00	J	271,57
UCO4981000	STD	Mot. OM457LA Euro 2, L/LS 1938, L/LK/LS 2638	4	128,00	144,50	155,10	10,13	270,00	J	291,57
UCO5017000	STD	Mot. OM460 / 457	4	128,00	144,47	155,45	10,13	266,00	J	291,57
A 0987000	STD	Mot. OM346, OM355, OM355A, OM355/5,	6	128,00	133,55	137,40	6,10	287,40	J	155,93
A 0987110	.010"	OM355/5A, OM355/6, OM355/5A, OM355/6,			133,80	137,65	6,30			158,69
A 0987120	.020"	OM355/6A, OM355/6LA (5/6cil.)			134,05	137,90	6,30			162,83
A 0987130	.030"				134,30	138,15	6,90			162,83
A 0987140	.040"				134,55	138,40	6,90			162,83
A 0987160	.060"				135,05	138,90	7,30			162,83
A 0987180	.080"				135,55	139,40	7,30			162,83

(cont...)

CÓDIGO CENTRIFUGAL	Sobre medida	MARCA E APLICAÇÃO	QUANT / EMB.		DIMENSÕES (mm)				CF	Preço Bruto
					diâm. ext.	COLAR		comp. total		
MERCEDES BENZ (continuação)										
AC 0987000	STD	Mot. OM346, OM355, OM355A, OM355/5,	6	128,00	133,55	137,40	13,00	287,40	J	174,95
AC 0987120	.020"	OM355/5A, OM355/6, OM355/5A, OM355/6,			134,05	137,90				178,04
AC 0987130	.030"	OM355/6A, OM355/6LA (5/6cil.)			134,30	138,15				182,69
AC 0987140	.040"	(altura do colar especial)			134,55	138,40				182,69
AC 0987160	.060"				135,05	138,90				182,69
MITSUBISHI										
A 4858000	STD	Mot. 4D55, 4D55T, 4D56,	6	91,10	94,15	97,00	5,00	170,00	J	89,02
A 4858310	.004"	4D56T 2.3 / 2.5L			94,25					93,67
A 4858820	.014"	Galant			94,50					93,67
A 4858380	.031"				94,95					93,67
A 4749000	STD	L200 D/DT	4	91,10	94,50	97,00	4,50	165,00	J	88,25
UC 4749000	STD	Pajero L 043/044..			94,20	-	-	165,00	J	88,25
UC 6144000	STD	Mot. 2.8L Pajero T	4	95,00	98,10	-	-	181,00	J	108,00
M.W.M.										
UC 5027000	STD	Sprint	6	92,00	96,10	102,50	6,00	183,00	J	93,76
UC 4833000	STD	Mot. 4.07TCA Sprint 16V, Micro-ônibus A6 6.10T;	6	93,00	96,09	102,45	6,04	182,80	J	94,92
UC 4833120	.020"	"SOHC" 6.10T Sprint 18V Silverato (GM) (turbo)			96,59	102,95				99,87
UCO1060000	STD	Mot. KD12	6	95,00	109,90	118,00	8,04	235,00	J	159,74
UCO1061000	STD	Mot. AKD11 D, AKD12 D/F/V/Z; AKD112 E/V; BF2L 1014E; BF3L 1014E;	6	98,00	112,46	119,90	8,05	235,00	J	159,74
UCO0991000	STD	Mot. D225 (3/4/6 cil.) (agrícola)	6	100,00	110,91	117,00	8,03	212,00	J	163,54
UCO1065000	STD	Mot. TD225 (2/4/6 cil.) (turbo)	6	100,00	112,91	119,00	8,04	212,00	J	182,55
UCO1066000	STD	Mot. D229 (3/4/6 cil.) (Veic./Agric./Indust.)	6	102,00	112,91	119,00	8,04	212,50	J	129,31
UCO1068000	STD	Mot. TD229 (6 cil.); D339EC (6 cil.) (06-87/...); TD229EC (4/6 cil.) (Turbo)	6	102,00	112,91	119,00	8,04	212,50	J	129,31
UCO4545000	STD	Mot. 4.10 / 6.10 (Aspir./Veic./Indust.) 4.10T / 6.10T (Turbo/Veic./Industr.) 4.10 TCA , 6.10TCA; 6.10TCW	6	103,00	113,95	123,50	8,04	212,50	J	159,74
UC 0992000	STD	Mot. D226, D228, TD226,	6	105,00	108,10	111,78	7,00	214,00	J	92,90
UC 0992120	.020"	TD228 (2/3/4/6 cil.);			108,60	112,28				97,74
UC 0992130	.030"	Mot. D226, D228 (72/...)			108,85	112,53				97,74
UC 0992140	.040"	(4 cil.) (Veicular);			109,10	112,78				97,74
UC 0992160	.060"	TD226			109,60	113,28				97,74
UCO0992000	STD				108,00	111,80				144,43
UCO4526000	STD	Mot. D232, TD232 - com Anel vedador de Borracha	6	120,00	137,00	146,00	9,60	265,20	J	262,42
UCO4594000	STD	Mot. D232, TD233 - com Anel vedador de Aço	7	120,00	137,00	146,00	9,60	265,20	J	262,42
NISSAN										
UC 4804000	STD	Mot. SD23, TD23, SD25 2289cc / 2488cc	4	89,00	92,05	98,00	5,00	172,00	J	125,78
UC 4808000	STD	Mot. TD27, TD27 T 2663cc BD20	4	96,00	99,05	104,95	5,08	158,90	J	129,70
PERKINS - MAXION										
A 4606000	STD	Mot. HS 2,5L Euro I Sprinter (MB)	4	90,49 (3.9/16")	94,20	97,00	4,80	188,00	J	100,64
A 4606120	.020"	Defender (Land Rover)			94,70	97,50				105,89
A 0444000	STD	Mot. 3.152, 4.203, D4.203	6	91,49 (3.602")	96,28	97,87	4,90	216,00	J	81,27
A 0444120	.020"	(3/4 cil.)			96,78	98,37				85,51
A 0444140	.040"	(Agric./Indust./Marit.)			97,28	98,87				85,51
A 0444160	.060"				97,78	99,37				85,51
UC 0444000	STD				93,74	96,66				73,54
UC 0444120	.020"				94,24	97,16				77,38
UC 0444130	.030"		94,49	97,41	77,38					
UC 0444140	.040"		94,74	97,66	77,38					
UC 0444160	.060"		95,24	98,16	77,38					
UCO0444000	STD		93,69	96,66	140,44					
UC 0407000	STD	Mot. 4.236 (4 cil.); 4.236, 6.354 (4/6 IL.) (60/...);	6	98,48 (3.877")	103,26	106,36	3,65	227,30	J	93,22
UCO0407000	STD	Q-20B.4236, Q-20B.6.354 (veicular) (4/6 cil.);			103,21	106,36	3,65	227,30	J	155,48
UC 4956000	STD	TQ-20B.6.354.4, T6.354.4, LT6.354.4 (6 cil.);			104,29	107,37	3,80	226,40	J	99,68
UCO4956000	STD	T4.236 (Agrícola) MF 292			104,24	103,37	3,80	226,40	J	156,99

CÓDIGO CENTRIFUGAL	Sobre medida	MARCA E APLICAÇÃO	QUANT / EMB.		DIMENSÕES (mm)				CF	Preço Bruto			
					diâm. ext.	COLAR		comp. total					
PERKINS - MAXION (continuação)													
UC 0962000	STD	Mot. 4.236 (4 cil.);	6	98,48 (3.877")	103,26	106,36	3,81	227,30	J	92,90			
UC 0962120	.020"	4.236, 6.354 (4/6 cil.) (60/...);			103,76	106,86				97,74			
UC 0962130	.030"	Q-20B.4236, Q-20B.6.354 (veicular) (4/6 cil.)			104,01	107,11				97,74			
UC 0962140	.040"	TQ-20B.6.354.4, T6.354.4, LT6.354.4 (6 cil.);			104,26	107,36				97,74			
UC 0962160	.060"	T4.236 (Agrícola)			104,76	107,86				97,74			
UCO0962000	STD	MF 292			103,21	106,36				3,81	227,30	J	156,99
UC 0445000	STD	(p/ recuperação de bloco)			103,29	-				-	228,80	J	89,02
UC 0445120	.020"				103,79	-				-	228,80	J	93,67
A 0445000	STD				104,26	105,85				5,00	228,80	J	108,73
A 0445120	.020"				104,76	106,36				5,00	228,80	J	114,41
UC 4579000	STD		Mot. Maxion S4 (aspirado)	104,27	107,37	3,84	226,40	J	89,02				
UC 4579120	.020"		Maxion S4T, S4T Plus (turbo)	104,77	107,87	4,85			93,67				
UC 4579130	.030"		Pick-up D20 (GM) (4 Cil.)	105,02	108,12	4,85			93,67				
UCC4579000	STD			104,27	107,37	4,85			226,40	J	103,22		
UC 4979000	STD		Mot. Série 1000 (turbo) Maxion	6	100,00	104,30	107,35	3,80	226,50	J	115,55		
UC 1017000	STD		Mot. 4.248	6	101,05 (3.9785")	104,28	107,38	3,81	227,30	J	90,13		
UC 1017120	.020"	(Indust./Agríc.) (4 cil.)	104,78			107,89	94,83						
UC 1017130	.030"		105,03			108,14	94,83						
UC 1017140	.040"		105,28			108,39	94,83						
UC 1017160	.060"		105,78			108,90	94,83						
UCO1017000	STD		104,23			107,38	3,81				227,30	J	152,60
UC 0446000	STD	Mot. 6.340	6	101,60 (4")	106,43	107,10	4,71	225,40	J	115,50			
UC 1070000	STD	Mot. 6.358 (6 cil.)	6	104,14 (4.1")	108,28	112,81	2,54	226,50	J	89,02			
UC 1070120	.020"	(Agric./Veic.)			108,78	113,32				93,67			
UC 1070130	.030"				109,03	113,57				93,67			
UC 1070140	.040"				109,28	113,82				93,67			
UC 1070160	.060"				109,78	114,33				93,67			
UCO1070000	STD				108,23	112,81				2,54	226,50	J	171,22
A 0996000	STD	Mot. 6.357 (6 cil.) (agric./indust./veic.)	6	104,14 (4.1")	108,94	110,53	3,60	225,50	J	106,67			
A 0996120	.020"	(p/recuperação de bloco)			109,44	111,04				112,24			
UC 0996000	STD				106,67	109,46				2,54	225,50	J	85,15
UC 0996120	.020"				107,17	109,96				89,59			
UC 0996130	.030"				107,42	110,21				89,59			
UC 0996140	.040"				107,67	110,46				89,59			
UC 0996160	.060"				108,17	110,96				89,59			
UCC0996000	STD				106,67	109,46				7,00	225,50	J	110,94
UCC0996120	.020"				107,17	109,96							116,73
UCO0996000	STD				106,62	109,46				2,54	225,50	J	141,67

PEUGEOT

A 1642000	STD	Mot. XD	4	94,00	97,00	99,40	3,95	170,30	J	88,15
A 1642120	.020"	Pick-up 504D, GL,D,GL			97,50	99,90				92,75
A 1642140	.040"	(Importado)			98,00	100,40				92,75

SCANIA

UCO6121000	STD	Mot. DN/DS/DSI 8 (85/...) DS/DSC 9	4	115,00	127,95	140,73	10,26	265,30	J	227,89
UCO5016000	STD	Mot. DSC9	4	115,00	127,95	140,70	8,30	257,30	J	214,50
UCO0479000	STD	Mot. D/DS 10 (58/62) Séries L/LA/LS/LT 75;	4	127,00 (5")	139,95	152,30	8,04	290,30	J	227,89
UCO0478000	STD	D 11, DS 11			139,95	153,85	8,04	290,30	J	227,89
UCO0963000	STD	Mot. DS 11; DS 14 (77/...)	4	127,00 (5")	139,95	153,80	8,19	291,10	J	227,89
UCO0964000 (z. descabo. 19,80mm)	STD	Mot. DS 14, DSC 14 Caminhão T142 H/T 142HS	4	127,00 (5")	139,95	155,85	10,06	276,00	J	227,89
UCO4868000 (z. descabo. 11,70mm)	STD	R 142/R 142HS, 142 HW, 143 H (.../92) D 14, DSE 14, DSI 14 (89/...)			139,95	155,70	10,05	275,50	J	227,89
UCO4553000	STD	Mot. DSC 11, DSI 11 (90/...)	4	127,00 (5")	139,95	153,80	7,90	291,10	J	235,35

CÓDIGO CENTRIFUGAL	Sobre medida	MARCA E APLICAÇÃO	QUANT / EMB.		DIMENSÕES (mm)				CF	Preço Bruto
					diâm. ext.	COLAR		comp. total		
diâm.	diâm.	alt.								

SCANIA

UCO4599000	STD	Mot. DSC 11 Caminhão 113-H (ressalto. ext.)	4	127,00 (5")	139,95	153,80	7,90	291,10	J	235,35
UCO4597000										
UCO4955000	STD	Mot. DSC 12 Série 4 360 a 400CV 420 CV (articulado)	4	127,00 (5")	138,97	149,98	10,80	271,00	J	235,35

TOYOTA

UC 5003000	STD	Mot. 2,4L Hilux	4	92,00	96,00	100,45	3,50	161,00	J	105,29
UC 4829000	STD	Mot. B - 11B 2977cc	4	95,00	99,09	105,00	2,55	190,20	J	107,39
UC 6143000	STD	Mot. 2.8L Hilux (c/parachama)	4	96,00	100,05	107,55	2,50	189,80	J	99,15
UC 6145000	STD	Mot. 3.0T Hilux	4	96,00	100,05	105,76	8,00	182,60	J	107,63
UC 4922000	STD	Mot. 3B 3431cc	4	102,00	106,06	111,65	2,55	188,50	J	109,97
UC 4927000	STD	Mot. 3B New	4	102,00	106,06	111,65	2,55	190,20	J	109,88

VALMET

UCO4534000	STD	Mot. Série 20 NA Valtra Trator	4	108,00	123,00	131,70	9,03	218,00	J	214,30
-------------------	-----	--------------------------------	---	--------	--------	--------	------	--------	---	---------------

VOLKSWAGEN


A 1765000	STD	Mot. 1.6L	4	76,50	80,50	82,09	4,90	147,00	J	56,97
A 1765120	.020"	Kombi, Furgão Pick-up			81,00	82,59				60,93
A 1765140	.040"	(Volvo)			81,50	83,09				60,93

VOLVO

UCO4856000	STD	Mot. Penta AQAD 41 / 42 / 43	4	92,00	104,95	113,90	9,00	180,80	J	218,56
UCO4874000	STD	Mot. Penta AQAD40	4	92,00	104,95	113,90	9,20	180,80	J	218,56
UCO4506000	STD	Mot. TD 100 A, THD 100 D, THD 100D Caminhão N10, Ônibus B58 (.../83) (turbo)	4	120,65 (4 3/4")	133,85	147,00	11,74	293,50	J	239,09
UCO4507000 (z.úmida ondulada)	STD	Mot. THD101, THD102 KB / KS; TD101 F / G; TD101 G F10, N10 (81/86);	4	120,65 (4 3/4")	133,86	146,95	11,52	296,40	J	239,09
UCO4509000 (z.úm.reb.ext.sup.)	STD	TD101 F F10, N10 (86/06-86) Caminhão NL 10.280 (Turbo/intercooler)			133,86	147,01	11,52	296,50	J	239,09
UCO4605000 (corpo liso)	STD	THD100 EB, THD100 EC, THD101 KC Ônibus B10M (intercooler)			133,86	147,01	11,52	296,50	J	239,09
UCO4540000	STD	Mot. TD102FS Cam. NL 10.340 articulado (turbo)	4	120,65 (4 3/4")	133,85	147,00	11,51	287,00	J	239,09
UCO4508000	STD	Mot. TD 120A	4	130,17 (5 1/8")	143,96	157,60	13,65	311,00	J	244,70
UCO4595000 (ressalto ajuste inf.)	STD	Mot. TD120 F/G/GA Cam. N12 (.../83) TD120 A, TMD120 A	4	130,17 (5 1/8")	143,85	157,60	13,52	311,00	J	244,70
UCO4592000	STD	Mot. TD121 F / G / GD Caminhão NL12 (83/89)	4	130,17 (5 1/8")	143,90	157,60	10,52	311,00	J	244,70
UCO4541000 (c/ rebaixo int.)	STD	Mot. TD122 F / FR / FS (90/...) Cam. NL 12.360, NL12.400, NL12.410 (c/parachama 140mm)	4	130,17 (5 1/8")	143,86	157,61	10,52	313,00	J	244,70
UCO4615000 (s/ rebaixo int.)	STD	Mot. TD 123E - EDC 360 - 410 CV (turbo)	4	130,17 (5 1/8")	143,84	157,60	10,38	313,00	J	244,70
UCO4831000	STD	Mot. D12, D12 B, D12 C Euro 2 12100cc FH12	4	131,00	143,84	159,60	11,20	272,80	J	254,03
UCO6141000	STD	Mot. D12 A Euro 2 12100cc R6, 250.309 FH12	6	131,00	143,84	159,60	11,20	276,34	J	254,03
UCO5012000	STD	Mot. D12 D (CHINESINHO)	6	131,00	143,92	159,55	11,20	272,80	J	254,03

YANMAR

UCO7000000	STD	Mot. B-7, NT-70, NT-87, NTB-7	4	70,00	84,00	90,00	8,24	161,65	J	109,20
UCO5000000	STD	Mot. NS-50 (78/...) (1 cil.)	4	75,00	84,96	90,38	8,10	138,80	J	109,20
UCO7001000	STD	NT-75 K (65/70)	4	75,00	88,00	93,80	9,27	172,50	J	109,20
UCO7500000	STD	Mot. NS-75 (78/...) (1 CIL.)	4	80,00	90,96	96,88	8,70	154,80	J	131,80
UCO8000000	STD	Mot. B-8, NT-10 (1 cil.) Microtrator KF-200 (68/78)	4	80,00	90,46	94,78	9,65	172,25	J	131,80
UCO7002000	STD	Mot. NT-85	4	85,00	100,00	106,80	10,35	194,00	J	131,80
UCO8500000	STD	Mot. NS-90 (78/...) (1 cil.)	4	85,00	98,96	104,88	9,16	164,00	J	131,80
UCO9000000	STD	Mot. B-9, B-9 C, NT-90, NB-10, NB-10C (68/78) (1 cil.) Microtrator KF-100, TC-11	4	90,00	101,46	106,87	11,15	193,10	J	131,80
UCO9090000	STD	Mot. BT-22, BT-33 (82/...) (2/3 cil.)	4	90,00	99,78	105,92	7,10	167,80	J	139,31

CÓDIGO CENTRIFUGAL	Sobre medida	MARCA E APLICAÇÃO	QUANT / EMB.		DIMENSÕES (mm)			CF	Preço Bruto
					diâm. ext.	COLAR			
					diâm.	alt.			

YANMAR (continuação)

UCO9091000	STD	Mot. BTD-22, BTD-33 (86/...) (1 cil.)	4	90,00	99,78	107,43	7,30	167,50	J	143,10
UCO9200000	STD	Mot. NS-11 (1 cil.) Microtrator TC-11 (78/...)	4	92,00	103,46	108,38	10,10	170,80	J	146,84
UCO9500000	STD	Mot. NT-95, (2TE) (rebaixo na face)	4	95,00	109,93	121,80	14,55	217,00	J	154,41
UCO4604000	STD	Mot. NT-95 (face lisa)	4	95,00	109,93	116,90	11,00	223,00	J	161,91
UCO1000000	STD	Mot. B-10, B-10C, B-10M, B-10MR, NB-13, NT-100 TC-10 (69/78) (1 cil.)	4	100,00	111,96	117,37	12,15	218,20	J	161,91
UCO1800000	STD	Mot. NS-18 (78/...) (1 cil.)	4	102,00	113,96	118,38	11,10	193,80	J	161,91
UCO1150000	STD	Mot. AE-1 (71/...); AE-2	4	115,00	133,90	144,80	12,10	256,40	J	188,26

CÓDIGO CENTRIFUGAL	Sobre medida	MARCA E APLICAÇÃO	QUAN T / EMB.	∅	DIMENSÕES (mm)			CF	Preço Bruto
					diâm. ext.	COLAR			
					diâm.	alt.			